




specification
AC41

LOA	12.99 m	42' 7"
LH	12.61 m	41' 4"
LWL	10.90 m	35' 9"
Beam	4.08 m	13' 5"
Draft	1.99 m	6' 6"
	1.65 m	5' 5"
Displacement approx.	8.9 t	19,621 lbs
Ballast approx.	2.88 t	6,349 lbs
Engine approx.	Diesel 29 kW	40 hp
Fresh water	320 l	84.54 gal
Fuel tank	140 l	36.98 gal
CE Certificate	A - 10	
Main approx.	50.26 m ²	541 sq ft
Self-tacking jib approx.	32.00 m ²	344 sq ft
Reaching Yankee approx.	50.90 m ²	548 sq ft
Gennaker approx.	90.80 m ²	977 sq ft
Total sail area approx.	82.26 m ²	885 sq ft
Rig	I 15.52 m	50' 11"
	J 4.53 m	14' 10"
	P 15.24 m	50' 0"
	E 5.59 m	18' 4"
Design	Dixon Yacht Design	
Interior	Design Unlimited	



deck- & interiorlayouts AC41



standard specification AC41

HULL

- GRP hull, isophthalic gelcoat, colour Off White (RAL 9003), 1st layer vinyl ester resin and balsa sandwich laminat
- Waterline and cove line, gelcoat colour: Moody Grey (RAL 7034 - only with XA1000 or XA1001)

KEEL

- L-keel, cast iron, draft: 1.99 m
- GRP rudder with sea-water resistant aluminium shaft and selfaligning bearings

LAYOUT & INTERIOR

- A1: Master cabin with double V-berth, hanging locker and shelves
- B3: Saloon with full functional L-galley and dining area on stb, enlarged lounge area with chart table on port and separate head
- C3: Aft cabin with double berth and storage on stb, utility room on ps
- 3-burner gas stove with oven, waste bin, 12 V fridge approx. 130 l, sink with mixing tab
- Interior furniture in high quality marine plywood
- Sliding hatch and boards
- Worktop in galley - Marine Mineral Stone, colour: Grained Black

WOOD (FURNITURE, FLOORBOARD)

- Furniture - Traditional Mahogany - satin varnish
- Floorboard - Traditional Stripes

UPHOLSTERY

- Comfort mattresses for all berths
- Upholstery - dorset, colour: Cream

DECK & OUTSIDE EQUIPMENT

- GRP deck with antislip surface, gelcoat colour: Off White (RAL 9003), 1st layer vinyl ester resin with balsa sandwich core. Cockpit locker on port and stb, stern locker, anchor locker at bow.
- Teak on cockpit bottom
- Teak on cockpit benches
- Teak on bathing platform
- Twin wheel steering system with emergency tiller
- 2 stainless steel steering wheels with leather cover
- Cockpit table, stainless steel with folding teak tops
- Pulpit and pushpit, stainless steel
- Railing, incl. stanchions and stainless steel wire with gateway stanchion
- Halyards and control lines with organizers and jammers on coach roof, 6 mooring cleats, handrail on coach roof
- 2 LEWMAR 45 ST EVO manual halyard winches
- 2 LEWMAR 50 EST EVO electrical secondary winches with automatic fuse

- Bathing platform, manual fold-out with swimming ladder
- Anchor windlass, electrical, 2000 W, with automatic fuse, remote control with chain counter
- Delta-anchor 20 kg, galvanized with 30 m galvanized chain
- Self tacking jib system
- German mainsheet system
- 2 big deck hatches - openable, anchor locker hatch
- 10 deck coach roof windows

RIG & SAILS

- Rig, anodized aluminium, deck stepped, with kicker, standing and running rigging and 2 reefs
- Manual jib furler
- QUANTUM Blue Water Dacron sails - full battened, main and jib

NAVIGATION & INSTRUMENTS

- Illuminated compass at each helm
- Navigation lights - LED
- Raymarine i70s multifunction display in cockpit, incl. transducer (speed/depth/temperature)

PROPULSION

- Fuel tank, approx. 140 l
- Engine (Diesel, approx. 38 hp) - saildrive, 3-blade fix propeller

EQUIPMENT

- 12 V and 230 V electric system and main panels and 230 V shore power
- AGM battery set, capacity: 1x 90 Ah + 1x 160 Ah AGM
- Country Version: EU / AUS
- Battery charger 30 A
- Manual toilet with sea water flush (B layout)
- Shower unit in cockpit, warm-/coldwater
- LPG gas system
- Freshwater system with electric pump and hotwater, heated by main engine
- Fresh water tank, appr. 320 l

SHIPPING & TRANSPORT

- CE - Certificate cat. A - 10
- Owners manual
- EC - Type Examination Certificate