



































































































# SL 120/A

Length overall	36,92 m
Maximum beam	7,6 m
Construction height	3,98 m
Displacement @ half load (*)	162 t
Displacement @ full load (*)	175 t
Waterline length @ half load	30,3 m
Waterline length @ full load	30,4 m
Draught @ half load	2,21 m
Draught @ full load	2,25 m
Guest accommodation	10 people
Crew accommodation	6 people
Engine	a) 2 x MTU 16V2000M96L - 2637 HP b) 2 x CAT ACERT C32B - 2400 HP
Consumption (approx) (**)	a) 2 x 375 l/h @ 2200 rpm b) 2 x 354 l/h @ 2100 rpm
Power output @ 100% MCR (**)	a) 2 x 19 kW @ 2450 rpm b) 2 x 1770 kW @ 2300 rpm
Gearbox	2 x ZF 5050A, R=3,429:1
Transmission	In line
Propeller	In Nibral in class "S"
Shafts	In Aquamet 17 or equivalent
Gensets	2 x 70 kW
Rudders	AISI316 Stainless Steel
Maximum speed (approx) (***)	a) 27 kn b) 25 kn
Cruising speed (approx.) (***)	a) 23 kn b) 21 kn
Economical speed (approx) (***)	11 kn
Max range @ economical speed (approx)	1400 nm
Deadrise	16°
A/C power	240000 btu/h
Fuel capacity	19900 l
Fresh water capacity	4200 l
Black water capacity	1100 l
Grey water capacity	2350 l
Tender length	max 5,65 m
Tender weight	max 1300 kg

\* Displacement data refers to a yacht with standard fit out as described in the sales specification  
 \*\* Main engine performance data and characteristics are derived from the manufacturer's specification  
 \*\*\* Speed data refer to a yacht with standard layout as described in the sales specification, considering a third of liquid weight, a third of luggage weight (25kg per bed) and 5 crew members (80kg each).

This brochure shall not be regarded as a contractual offer regarding the sale of yachts from the shipyard to individuals or companies. All the information contained in this brochure, including without limitation any technical or performance data, pictures, and drawings, are mere indications with no contractual value.

This document is based on the information available at the time it is published. In spite of the commitment aimed at guaranteeing maximum possible accuracy, the information contained herein may not cover all the details and any technical-commercial modifications introduced after printing, or may describe features that are not present.